

Farbatone

SPINKS INDIA

88, Pace City- I, Sector- 37 Gurgaon, Haryana (India), 122001

(MSDS) - LAX Series

(Identification of the substance/preparation and company)

(Product information): Silk Screen printing ink / Pad printing ink

(Product Number): LAX series

(Composition/Information on Ingredients)

(Single):				
(English Name): Chlorinated rubber				
Silicone	Organic Pigment			
(Synonyms): /				
(Chemical Abstracts Number [SCA NO.]):				
Chlorinated rubber	 9006-03-5	Trimethylbenzene-108-67-8	Silicone63148-62-9	
(Percentage for C	hemical Ingredient):	20-25%		

(Mixing)

(Chemical Character):					
(Hazardous Components Name)	(Concentration/Percentage)	(Hazards Symbols)			
Trimethylbenzene	95%				

(First Aid Measures):

(Emergency and First Aid Procedures):

- * (Inhalation): Take the suffer to the place with fresh air.
- * (Skin Contact): Wash with a great deal of suds
- * (Eye Contact): Wash with a great deal of suds and then send to hospital.
- * Avoid spit and send to hospital for cure.

(Major Disease and Harm Effect): Headache Faint

Vomit Mondayish

(First-Aid Personal Protection):
(Prompt to Doctor):

(Fire Fighting Measure)

(Suitable Extinguishing Media): Bubble, Powder Fire Extinguishing		
(Special Exposure Hazards): Create CO, nitrogen oxide, cyanide steam and minim prussic acid.		
(Special Extinguish Procedure):		
(Special Protection Equipment): Wear shield		



Farbatone

(Accidental Release Measures)

(Personal Protection):

Avoid direct contact without any safeguard, and avoid heavy inhalation.

(Environmental Protection): Fireproofing, high-temperature proofing

(Methods for Cleaning UP): Clean up after bury with sand or soil.

(Handling and Storage)

(Handing): Keep good aeration at working area.

(Storage): 5-40°C Keep container lock at the 5-40°C

(Exposure Control/Personal Protection)

(Engineering Control):

(Control Factor):

*TWA/ATEL/CEILING:

* (Biotic Index):

(Personal Protection Equipment)

- * (Respiratory Protection): Wear Shield
- * (Band Protection): Wear glove
- * (Eye Protection): Wear defend-mask
- * (Skin & Body Protection): Wear exposure suit

(Hygiene Procedures):

General safeguard, if clothing is stained, change it at once; wash after working.

(Physical and Chemical Properties)

(Appearance)	Tremolos	(Form)	Liquid jelly
(Color)	Various Color	(Odor)	smell arene
PH (PH value)	5-7	(Boiling Point/Boiling)	145-205°C
(Decemberation	Decompose not easily	(Fire Point)	420°C
(Decomposition		(Test Method)	(Open Cup)
Temperature)			(Close Cup)
(Spontaneous)		(Exposure Limits):	
(Vapor Pressure)		(Vapor Density)	
(Specific Gravity)	White 1.2	(Solubility in water)	
(Specific Gravity)	Color 1.2-1.3	(Solubility in water)	

(Stability and Reactivity)

(Stability): Keeping hermetic, two years' shelf-life

(Special Conditions of Hazardous Reaction):

(Conditions to Avoid):



Farbatone

(Incompatibility): High concentration acid、Alkali		
(Hazardous Decomposition):		
(Toxicological Information)		
(Acute Toxicity): None		
(Local Effects): Harm for health if direct contact skin.		
(Sensitive):		
(Chronic): Harm for health if long-term ingest		
(Exceptional Effect):		
(Ecological Information)		
(possibility of Environment Impact/Move):		
(Disposal Information)		
(Disposal Information): Suggested disposal by setting on fire		
(Transport Information)		
(Special Transport Way and Note):		
Avoid high temperature and high pressure; Fireproofing		
(Regulation Information)		

(Apply Regulation): Standard Execution No.Q/ZYYM01-2002

(Other Information)

(Reference):